

ORANGE COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
AgA	AGAWAM FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	1	
AgB	AGAWAM FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	1	
AgC	AGAWAM FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1	
AgD	AGAWAM FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	b
AgE	AGAWAM FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES	1	b
BeB	BELGRADE SILT LOAM, 0 TO 8 PERCENT SLOPES	4	
BeC	BELGRADE SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
BeD	BELGRADE SILT LOAM, 15 TO 25 PERCENT SLOPES	4	c
BuB	BUCKLAND STONY LOAM, 3 TO 8 PERCENT SLOPES	4	
BuC	BUCKLAND STONY LOAM, 8 TO 15 PERCENT SLOPES	4	
BuD	BUCKLAND STONY LOAM, 15 TO 25 PERCENT SLOPES	4	c
BvC	BUCKLAND VERY STONY LOAM, 8 TO 25 PERCENT SLOPES	4	c
BwE	BUCKLAND SOILS, 25 TO 50 PERCENT SLOPES	6	
CaB	CABOT STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	6	
CaC	CABOT STONY SILT LOAM, 8 TO 15 PERCENT SLOPES	6	
CaD	CABOT STONY SILT LOAM, 15 TO 25 PERCENT SLOPES	6	
CbB	CABOT VERY STONY SILT LOAM, 3 TO 15 PERCENT SLOPES	6	
CbD	CABOT VERY STONY SILT LOAM, 15 TO 25 PERCENT SLOPES	6	
CoB	COLRAIN STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2	
CoC	COLRAIN STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2	
CoD	COLRAIN STONY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	2	b
CsD	COLRAIN VERY STONY FINE SANDY LOAM, 8 TO 25 PERCENT SLOPES	2	b
CsE	COLRAIN VERY STONY FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES	6	
CxD	COLRAIN EXTREMELY STONY FINE SANDY LOAM, 8 TO 25 PERCENT SLOPES	2	b
CxE	COLRAIN EXTREMELY STONY FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES	6	
Gp	GRAVEL PITS	7	
Ha	HADLEY VERY FINE SANDY LOAM	6	
HdB	HARTLAND SILT LOAM, 0 TO 8 PERCENT SLOPES	3	
HdC	HARTLAND SILT LOAM, 8 TO 15 PERCENT SLOPES	3	
HdD	HARTLAND SILT LOAM, 15 TO 25 PERCENT SLOPES	3	c
HdE	HARTLAND SILT LOAM, 25 TO 50 PERCENT SLOPES	6	
Le	LIMERICK VERY FINE SANDY LOAM	6	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

ORANGE COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
MeA	MERRIMAC FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	1	
MeB	MERRIMAC FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	1	
MeC	MERRIMAC FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1	
MeD	MERRIMAC FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	b
MeE	MERRIMAC FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES	1	b
Mu	MUCK	7	
NnB	NINIGRET FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES	4	
NnC	NINIGRET FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
Pc	PEACHAM SOILS	6	
PoC	POMFRET STONY LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	3	a
PoD	POMFRET STONY LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	3	a, c
PsD	POMFRET VERY STONY LOAMY FINE SAND, 8 TO 25 PERCENT SLOPES	3	a, c
PtE	POMFRET SOILS, 25 TO 50 PERCENT SLOPES	6	
Ra	RAYNHAM VARIANT SILT LOAM	6	
Ro	ROCK OUTCROP	6	
Sa	SACO MUCKY SILT LOAM	6	
SoB	STOWE STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
SoC	STOWE STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
SoD	STOWE STONY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
StD	STOWE VERY STONY FINE SANDY LOAM, 8 TO 25 PERCENT SLOPES	4	c
SwE	STOWE SOILS, 25 TO 50 PERCENT SLOPES	6	
TbB	TUNBRIDGE-WOODSTOCK ROCKY FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES	5	a
TbC	TUNBRIDGE-WOODSTOCK ROCKY FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES	5	a
TbD	TUNBRIDGE-WOODSTOCK ROCKY FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES	5	a, c
TrD	TUNBRIDGE-WOODSTOCK VERY ROCKY FINE SANDY LOAMS, 8 TO 25 PERCENT SLOPES	5	a, c
TwE	TUNBRIDGE-WOODSTOCK COMPLEX, 25 TO 50 PERCENT SLOPES	6	
VeB	VERSHIRE-GLOVER ROCKY LOAMS, 3 TO 8 PERCENT SLOPES	5	a
VeC	VERSHIRE-GLOVER ROCKY LOAMS, 8 TO 15 PERCENT SLOPES	5	a
VeD	VERSHIRE-GLOVER ROCKY LOAMS, 15 TO 25 PERCENT SLOPES	5	a, c
VgD	VERSHIRE-GLOVER-ROCK OUTCROP COMPLEX, 8 TO 25 PERCENT SLOPES	5	a, c
VhE	VERSHIRE-GLOVER COMPLEX, 25 TO 50 PERCENT SLOPES	6	
W	WATER, LESS THAN 40 ACRES	7	

FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

ORANGE COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
Wa	WALPOLE FINE SANDY LOAM	6	
WnB	WINDSOR LOAMY FINE SAND, 0 TO 8 PERCENT SLOPES	1	
WnD	WINDSOR LOAMY FINE SAND, 8 TO 25 PERCENT SLOPES	1	b
WnE	WINDSOR LOAMY FINE SAND, 25 TO 50 PERCENT SLOPES	1	b
Wo	WINOOSKI VERY FINE SANDY LOAM	6	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.